
as the basis for the				MA	ST	ER	DRAWING LIST
		***	G. NO.		REV. LET.	NO. OF	TITI E
î	D-U	A-RS09-	-0-0		D	1	262K 18 BIT DEC DISK
	A-P	L-RS09-	-0-0		D	2	262K 18 BIT DEC DISK (PARTS LIST)
<u> </u>							
5	D-D	I-RS09-	-0-8		E	2	DWG.INDEX LIST RSO9-0
Seion.	A-M	L-RS09-	-P-0		REF	1	CHASSIS ASSY WITH LOGIC
Ē	A-M	-RS08-	-M-0		REF	1	DISK ASSY 60 HZ
8 8	D-BS	S-RS09-	-0-1		A	1	CONTROL 1
ithout written	D-BS	S-RS09-	-0-2			1	TRACK SELECT MATRIX Ø
1	D-BS	S-RS09-	-0-3	•		1	TRACK SELECT MATRIX 1
	D-BS	S-RS09-	-0-4	,	A	1	CONTROL UNIT CONNECTORS
without		-RS09-			A	1	CONTROL 2
5 5							343,402 5
	K-WI	-RS09-	-O-WL		С		WIRE LIST
֓֞֞֞֞֓֞֓֓֞֓֓֓֓֞֞֓֓֓֡֓֓֡֓֓֓֡֓֡֓֡֡֡֡֡֡֡֡							
} <u>•</u> [D-MU	J-RS09-	0-9		A	1	MODULE UTILIZATION
or sale of items	A-PI	-RS09-	0-9		A	1	MODULE UTILIZATION (PARTS LIST)
							THE PROPERTY OF THE PROPERTY O
ĬŖ	D-IC	-RS09-	0-7		 	†	LOC CHART-TRACK, HEAD, CABLE
ufacture						 	INC CHART-TRACK, HEAD, CABLE
_ ~ •	D-IC	-RF09-	0-35		REF	3	POWER WIRING AC/DC
۱-۲						 	TOUR WIKING AC/ BC
≯	D-AF	-RF09-	0-37		REF	1	RF09/RS09 ARRANGEMENT
Ī						╅	10 037 RD03 ARRANGEMENT
ı	A-WI	-RS09-	0-10			4	HAND WRAP WIRE LIST
ı					 	 	HAND WRAP WIRE DIST
T	C-WE	-RS09-	0-11		A	1	HAND HOAD DOWNING
						├── ┤	HAND WRAP ROUTING
T	A-SP	-R S 09-	0-12			11	RS09 CALIBRATION PROCEDURE
t							NOOD CANIDIGATION PROCEDURE
r						 	
h							
ŀ							
-							
h		· · · · · · · · · · · · · · · · · · ·					
 							
H					· · · · · · · · · · · · · · · · · · ·		
H			VICIONIC		DRN		DATE
-		KE	VISIONS			Healy	
	REV.	DATE	CHG. NO.	APP	D. CHI		DATE O CORPORATION
Γ	Α	10/69	00004	D.	,, D.	Healy	
	В	12/69	00006	D.	V JENG		DATE TITLE
	C	1/70	00008	D.	v. D	G.Von	ada //69
	E	1/70 1/70	00009 00010	D.		J. ENG.	DATE ada 7/69
	F	4/70	00012	D.			DATE 262K 18 BIT DEC DISK
-	H J	5/70 5/70	888 1 3	D.	V. R.A		cic 7/69 (RSO9) 60 HZ
	K	10/70	00014	J.:	L. FIR	T USED C	(**************************************
	L	5/71	00019	D.		RS09-	O SIZE CODE NUMBER REV.
	M	9/71	00021	A.1	V. 004		
	N 9/71 00022 AV						A ML RS09-0 P
L	Р	4/73		D.V	V. SHE	ET 1	OF 1 DIST.
P	EC FOR	M NO.	retype	ed 5,	/17/7	1.	A


DWG. NO.	REV. LET.	NO. OF SHEETS	TITLE
D-UA-RSØ9-A-Ø	А	1	262 K 18 BIT DEC DISK
A-PL-RSØ9-A-Ø	A	2	262 K 18 BIT DEC DISK PL
D-DI-RSØ9-Ø-8	₩E.	2	DWG INDEX LIST RSØ9-Ø
A-ML-RSØ9-P-Ø	REF	1	CHASSIS ASSY WITH LOGIC
A-ML-RSØ8-MA-Ø	REF	1	DISK ASSY 50 HZ
D-BS-RSØ9-Ø-1	T _A	1	CONTROL 1
D-BS-RSØ9-Ø-2		1	TRACK SELECT MATRIX Ø
D-BS-RSØ9-Ø-3		1	TRACK SELECT MATRIX 1
D-BS-RSØ9-Ø-4	A	1	CONTROL UNIT CONNECTORS
D-BS-RSØ9-Ø-5	A	1.	CONTROL 2
K-WL-RSØ9-Ø-WL	C		WIRE LIST
D-MU-RSØ9-Ø- 9	A	1	MODULE UTILIZATION
A-PL-RSØ9-Ø- 9	A	1	MODULE UTILIZATION LIST
D-IC-RSØ9-Ø-7			LOC CHART-TRACK HEAD CABLE
D-IC-RFØ9-Ø-35	REF	3	POWER WIRING AC/DC
D-AR-RFØ9-Ø-37	REF	1	RFØ9/RSØ9 ARRANGEMENT
A-WL-RS09-0-10		4	HAND WRAP WIRE LIST
C-WD-RS09-0-11	A	-1	HAND WRAP ROUTING
A-SP-RSo9-0-12		11	RS09 CALIBRATION PROCEDURE
		·	
	1		
REVISIONS	DRI		DATE 7/
REV. DATE CHG. NO. A		<u>. HEAI</u> K'D.	DATE 7/ 0 0 CORPORATI
		. HEA	
B 12/69 00006 1 C 1/70 00008 1 D 1/70 00008	р.у. Ем		DATE 7.28.49 TITLE
b 7/70 00009 E 5/70 RS09-13 I	n W. L.	JJ //mi.	DATE
F 5/70 RS09-14 H 10/70 RS09-18	J.エィ. レン	D) // MAR	$(262 \text{ K } 18 \text{ BIT DEC DISK } (\text{RS}\emptyset)$
A 10/69 RS09-4 B 12/69 00006 C 1/70 00008 E 5/70 RS09-13 I F 5/70 RS09-14 H 10/70 RS09-18 J 5/71 RS09-19	D.V. PRO		DATE 50 HZ
4 01-	1/4	ST USED C	
	AV		SIZE CODE NUMBER D
		RSØ9_A	
	sc	LE EET 1	OF 1 DIST. RSØ9-A




	DIGITAL EQ	UIPMENT CORPORATION ARD, MASSACHUSETTS				QUAN	TIT	Y / V	ARIA	ATIO	N	
TO THE PROPERTY OF THE PERSON	MAYN	PARTS LIST	1	717								
MAD	E BY G. FLANDERS	CHECKED D. HEALY SECTION	┨ ;	00)	3		Ì					
DAT	F 6/30/69	DATE 7/2/60	11 .	- 1								
DAT	A Enaminenthe freks	PROD RM Conforme com ISSUED SECT. DATE 7-29-69 1		2-600 000						24 24 25 25		
ITEM NO.	DWG NO. / PART NO.	DESCRIPTION	ع ا	Z 2								
1	D-UA-RSØ8-M-Ø	DISK ASSY 60 HZ	1									
1	D-UA-RSØ8-MA-Ø	DISK ASSY 50 HZ			1							
2	D-UA-RSØ9-P-Ø	CHASSIS ASSY WITH LOGIC	l	2.1	1							
3	E-AD-7006255-0-0	BLOWER FILTER][1		1							
4	D-MD-7407235-0-0	PLATE, MTG BLOWER			1							
5	A-AD- 7006379-0-0	19" CAB ASSY	$\rfloor \rfloor_1$		1							
6	B-MD-7407013-0-0	SUPPORT	2	2	2							
7	* D-AD-7006416-0-0	STEP DOWN TRANS ASSY			1							<u></u>
8	-D=UA=855=0-0	LINE FILTER & POWER CONTROL 855][1	=	I							
9	A-DC-7406707-0-0	POWER PANEL DECAL (60 HZ)	1									
9	A-DC-7406707-0-0	POWER PANEL DECAL (50 HZ)			1							
*10	C-MD-7407442-0-0	SPACER, CHA S SI S SLID B S	_A/	R A	/k							
11	9007779	HOSE CLAMP 1-3/4	2		2							
12	1209470	HOSE 1-1/2 I.D. #CMD#FT-3214-1 VAC-U-FLEX	Ã,	/RA,	/I							
13	9007786	NUT, C31758@1032-27 TINNERMAN	2	6 2	6							
14	9006073-3	SCR, PHL HD TRUSS #10-32 x ½ SST][2	6 2	6							
15	9007651	WASH, EXT TOOTH #10		26 2	6							
16	9006368	SCR, SOC HD CAP #4-20 x 4 SST	4		4							
17	9006056-3	SCR PH HD TRUSS #4-20 x ½ SST	6		6							
18	9006724	WASH, EXT TOOTH ¼ I.D.	6		5							
REF	D-AR-RFØ9-Ø-37	RFØ9/RSØ9 ARRANGEMENT DWG	Х		ζ							
*	NOT A PRODUCTION PA	RTSEE NOTE 3 ON ASSY D-UA-RSØ9-Ø-Ø										
TITL	E 62K 18 BIT DEC DISK (F		P			N RSØ9-Ø	UMBE V-Ø	R		RE	7. E.C R O(o no. Sø9- DOL9
DEC	FORM NO.	SHEET 1 OF 2 DIS	Т.	5								
DRA									X			


X


DIGITAL EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS
PARTS LIST QUANTITY/VARIATION RSØ9-Ø(6UHE) CHECKED D. Healy RSØ9-A (50HE MADE BY G. Flanders SECTION DATE 6/30/69 DATE RIM Contoners ENG PROD ISSUED SECT. DATE DATE DWG NO. / PART NO. **DESCRIPTION** NO. 19 C-IA-7006266-1 Cable Line Filter (Female) 王 # -1-20 C-1A-7006266-2 Cable Line Filter (Male) C-IA-7005820-4€O 21 Cable WØ21 to WØ11 9 FT Long B-5100 22 7402025 PANEL BLANK 1 1 23 9107682 CABLE BRAIDED 5/8" x 10 FT LG BELDEN 8672 **24** 910**724**5-00 TUBING 3/8" x 10 FT LG BLK 25 9007926 2 22 CONNECTOR #50321 ARKLESS 26 9007880 TIEWRAP PANDUIT SST 1.5M 2 2 C-IA-7006481-3-0 POWER CORD 28 D-IA-7409012-0-0 FILTER D-IA-7409013-0-0 29 1 FILTER FRAME SCR, PHI, HD PAN #6-32 X 3/8 SST 30 90**0**6022-1 2 * USE ONLY ON FIRST CAB, 240 VOLTS ONLY TITLE SIZE CODE ASSY NO. NUMBER REV. ECO NO. 262K 18BIT DEC DISK (RSØ9 D-UA-RS-Ø9-Ø-Ø A PL RSØ9-Ø-Ø DIST. SHEET 2 OF DEC FORM NO.





	8 If and specifications, herein, are the prop of Equipment Corporation and shall not be or copied or of the properties of the original or of the original or	7		6		5	4		3	128	8 - Ø - 6ØS원 []	a 2	1	
FIND NO		PART NO	PROD CUST F.C. FIND	MECHANICAL DESCRIPTION	PART NO	PROD CUST F C NO	ÉLEURICAL Description	PART NO	DEPT USAGE	FIND DESC	ELECTRICAL		DEPT USAGE	
	262K 18 BIT DEC DISK 60 HZ 252K 18 BIT DEC DISK 50 HZ 262K 18 BIT DEC DISK (P. L.) PLATE, MTG BLOWER SUPPORT SPACER, CHASSIS (OPTICNAL)	D-UA-RS#3-0-0 D-UA-RSUS-A-0 A-P1-RSUS-B-0 D-MD-74977235-0-0 B-MD-7497913-0-0 C-MD-7497412-0-0	15	FAN H952-C DWG INDEX LIST	A-PL-H952-C-G D-D1-H952-G-G		262K 19 BIT DEC DISK 60 HZ 262K 18 BIT DEC DISK 50 HZ CONTROL I TRACK SELECT MATRIX 0 TRACK SELECT MATRIX I CONTROL UNIT CORRECTORS	A-MI_RS08-0 A-MI_RS08-A D-05-RS08-0-i 0-85-RS08-0-i 0-85-RS08-0-3	331 1 0	NU DESI	RIPTION .	PART NO	PROO CUST F C	
	POTER PANEL DECAL 60 HZ POTER PANEL DECAL 50 HZ CABLE WØ21TO WØ1 9FT PANEL BLANK PACKAGING INSTRUCTIONS FILTER FILTER FRAME	B-5100 A-7-408707-0-0 C-1A-7005820-4-0 B-5100 A-P1-3700006-0-0 D-1A-7409012-0-0 D-1A-7409013-0-0	11	LEVELER SET H952-F DWG INDEX LIST	A-PL-H952-F-0 0-01-H952-0-1		CONTROL 2 WIRE LIST MODULE UTILIZATION MODULE UTILIZATION LIST LOC CHART, TRACK, HEAD, CABLE POWER WIRING AC DC RF99-RS99 ARRANSDMENT	C-8S-R509-0-5 D-BS-R509-0-5 N-M1-R509-0-9 D-M1-R509-0-9 D-1C-R509-0-7 D-1C-R509-0-7 D-1C-R509-0-35 D-4R-R509-0-37						
2.	DISK ASSY 60 HZ DISK ASSY 50 HZ BISK ASSY (P.1.) DWG IMDEX (1937	D-UA-RS08-M-D D-UA-RS08-M-D A-PL-RS08-M-D D-D1-RS08-M-1	12	CASTER SET H952-E DWG INDEX LIST	A-Pl-H952-E-0 D-01-H952-E-0		HAND WRAP WIRE LIST HAND WRAP ROUTING RSØ9 CALIBRATION PROCEDUR	A-WL- RS09-0-10 C-WD-RS09-0-11						
3	CHASSIS ASSY WITH LOGIC CHASSIS ASSY #1TH LOGIC (P.L.)	D-UA-RSØS-P-C A-PL-RSØS-P-0	13	LOGO RFØ9 Panel, frame h956-la	C-14-7407878-0-0	2	DISK ASSY RS09-NA-0 DISK ASSY RS09-MA-0	A-MI-RSD9-M A-MI-RSD9-MA						
4	DWG IADEX LIST BLOWER FILTER ASSY RS09 BLOWER FILTER ASSY RS99 (P.L.)	D-CI-RS09-P-1 5-A0-7006255-0-0 A-PI-7006255-0-0	15	PANEL FRAME H950-LA (P. L.) DING INDEX LIST PNL FRAME PANEL INLAY PDP 9L PANEL INLAY RF Ø9	A-PL-H950-LA-Ø 0-01-H950-D-1 C-IA-7406694-0-0 C-IA-7407349-3-9 C-IA-7407877-0-0		CHASSIS ASSY/LOGIC	A-ML-RS09-P						
	FILTER FRAME RETAINER SOREM, PREFITER PLATE, MTG SIDE CONTAINER, FILTER		16	SHORT DOOR H952-HJ SHORT DOOR (P.I.)	D-UA-1958-HJ-0 A-PL-1956-HJ-0	4		E-A0-7006255-0-0						
5	FILTER COVER ASSY BLOWER COVER, FILTER	C-1A-7407503-0-0 D-MD-7407256-1-0	. 17	DOOR SKIN 1950-FA-0 DOOR SKIN (P.L.)	D-01-H950-0-1 D-UA-H950-FA-0	20	LINE SILTER & PWR CONT 955	D-UA-955-0-0						
6	FILTER COVER ASSY (DOUBLE) COVER, FILTER	C-1A-7407504-0-0 D-MD-7407256-2-0	19	OWG INDEX LIST ' LIGHT BOARD ASSY RSD9 (OPTIONAL)	A-PL-H950-0-1 D-D1-H950-0-1		CIRCUIT SCHEWATIC 955	C-CS- 9 55-0-0						
7	PANEL, END H952-AA PANEL, END (P.L.) DWG INDEX LIST	D-UA-H952-AA-0 A-P1-H952-B-0 D-01-H952-B-1	19	STEP DOWN TRANS ASSY (50 HZ) STEP DOWN TRANS ASSY (50 HZ) STEP DOWN TRANS ASSY (50 HZ) (P.1.) PANEL, TRANSPORER	D-AD-7006416-0-0 A-PL-7006416-0-0									
8	19" CAB ASSY 19" CAB ASSY (P.L.)	A-AD-7006379-0-0 A-PL-7006379-0-0	20	PANCE, IRANSFORMER BRACKET, TRANSFORMER LINE FILTER & PWR CONT 955 LINE FILTER & PWR CONT 955 (P.L.)	0-UA-855-0-0 A-PL-955-0-0 A-PL-955-0-0									
9	19" FRAME ASSY H950-AA 19" FRAME ASSY (P.L.) DWG INDEX LIST	E-UA-H958-AA-8 A-PL-H958-0-0 D-D1-H958-0-1	21	MTG PANEL DOOR R.H. #H958-D MTG PANEL DOOR R.H. #H958-D (P.L.) DWG INDEX LIST	D-UA-H956-D-0 A-PL-H958-D-8 D-DI-H956-0-6									
											QTY. DE	ESCRIPTION PARTS LIS	PART NO.	IT.
								FIRST USED ON OP		DO NOT SCALE DRAWING DIMENSION IN INCHES DIMENSION ANGLES DECIMAL SUPFACE QUALITY FINAL SUPFACE QUALITY CORNERS TERIAL	PROLENG DATE	digit	NG INDEX	ENT TON
NO NO	8	7		6	5	<u> </u>	4		FIN 3	ish		SIZE CODE D D I R S C S DIST. 6	NUMBER - C - S	E












Source of the second of the se	6 5		3 7 S-0-6050 NM a 2
reproduced or copied or used in whele or in part at the basis for the manufacture or sale of items without written permission. 2 3 4 5 6 7 8 9 C	0	23 24 25 26 27 28 29 30 31	32 33 34 35 36 37 38 39 40 41 42 43 44
TTA	1 X 4 1 X Ø Ø X 4 3 X 7 08 40 W ATT L WRITE CLK(H)		
A TTA SPARE T T T T T T T T T T T T T T T T T T T	TO TO TO U U U U U U U U U U U U U U U U	A23L Y64(8)\[T64(1)\[T64(8)\[T64(1)\[T64(1)\[T65(1)\[T65(1)\[T65(1)\[T66(1)\[T66(1	
SPARE	27 67 T S SELECT	DATA(Î) DATA(Î)	
USAGE 1 137 177	37 77 CHES 5 G295 G285 G285 G285 G285 B152 R002 R107 R111 B683	8683 8683 WØ2 I WØ2 I WØ1 I WØ1 I CABLECABLE CABLE CABLE ATT SELECT ATT SELECT -BTT (8) 86H (8) 1 86H	
121 123 131 133 141 143 151 153 161 163	125 127 21 23 25 27 TRK GAIN WRITE GAIN 145 147 41 43 45 47 TRK CONTROL GAIN GAIN	DATA (B)L -ATT SELECT -ATT SELECT	
C B 100 100 100 110 110 112 120 122 122 122	LEG4	- CTT (B)L U3H (B)L U3H CTT SELECT CTT SELECT (B)L (B)L U3H (B)L U3H -CTT SELECT -CTT SELECT (B)L U5H (B)L U5H DATA SELECT DATA SELECT	
138 132 146 142 156 152 168 162 178 172	134	CB CB CB CB CB CB CB CB	
1 2 3 4 5 6 7 8 9 10	1 1 12 13 14 15 16 17 18 19 20 21 22	23 24 25 26 27 28 29 30 31	32 33 34 35 36 37 38 39 40 41 42 43 44
			4
В			1905 1905
			Wasses
			В
S S S S S S S S S S S S S S S S S S S		FIRST USED ON RSØ9 -	UNLESS OTHERWISE SPECIFIED CHURCH CHU
REVISION CHANGE N RSO 9 000 I Mark 4 I Mark 4			DECIMALS FRACTIONS ANGLES = 005 = 1.064 = 1.074 FINAL SURFACE QUALITY REMOVE BURRS AND BREAK SHARP CORNERS MATERIAL NEXT HIGHER ASSY REMOVE BURS AND BREAK SHARP ROD. DATE 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
\(\frac{1}{2} \mathred{\text{d}}\)			A-ML-RSØ9-Ø

	DIGITAL EQ	UIPMENT (ARD, MASSAC)	CORPORAT	ION		Ų	UAN	TITY	/VAI	RIAT	TION	•	
		PARTS LI	ST			to Leading						-	
	E BY ROBICHARD	CHECKED D		SECTION	$\dashv \mid \mid$								
TAC	E 6/25/69	DATE 6/26/	69	1							ľ	1 4	
NG	DD Voneda	PROD N.M.	Antonuecos	ISSUED SECT.		İ							"
	E 7.28.69	DATE 1-2	5-69	11									
IO.	DWG NO. / PART NO.		DESCRIPTIO	N									
	B134	DIODE GATE			2							+	十
	B152	BINARY TO O	CTAL DECODER		1							1	T
	B683	BUS DRIVER			3				1		1	 	T
	GØ85	DISC READ A	MP & SLICE		5					-+	_	1	T
	G285	SERIES SWIT			8							†	t
	G286	CENTER TAP			4			\top	1	\dashv	_	 	+
	G29Ø	WRITE AMP			1 3			+-			_	+	╁
	RØØ2	DIODE CLUST	ER		1 1			+		_	_	+-	+
	R1 Ø 7	INVERTER			1 7			+	+	_	_	1	十
	R111	DIODE GATE			11-11-					-	+	+	\vdash
	R6Ø2	PULSE AMPLIE	TER					-		+	+-	\vdash	H
					╅╧┼					-		\vdash	┢
					┪╌┼╴			_	\vdash	\dashv			├
					\dashv			+-		\dashv		-	\vdash
					╬╌┼	_		+		-	+	 	┢
					+			-		-	+	┼	├
					╢─┼	\dashv		_	\vdash	\dashv	-		├
					+								
寸					╢——		_	_				<u> </u>	_
寸					- -								_
┪				a .	- -								_
┪					-∦}-								L
	F		Taggy :: a		<u> </u>								L
•	MODULE UTILIZATION I	Tem (nego)	ASSY NO.	1 =	CODE			MBER			REV.	ECO	NO
	LODGE GITTELATION I	TOI (KOMA)	D-MU-RSØ9- SHEET 1	$\frac{\cancel{0}-\cancel{9}}{OF}$ $\frac{\cancel{A}}{DIS}$	PL	R	sø9-ø	1-9		1	А	RSC 000	X)9

DPA 110

reproduced or 20 the basis for the remission	3	sale of items v	without	5 6885	6	7	8	9 3256	10	WB33	12	13	, 14 : 32	15 G298	16 6286	17	18	WE33	20	0 2 BI	1 2 34 R60	2 2 12 at	34	4 2 We	25 ₁ 2 221 W	26 Ø21 W	27 VØIT V	28	29	30	31	32	33	34	35	36	37	38	39	9 4	0 4	1 4	2 4	3 4
USAGE CABL TTA TTE TTC TTA SPAR A ITB SPAR TTC SPAR	RE A	BTT	C T T	M A T R I X	D S L D S L B B	M A T R I X 1	טאר פּי	100 TO 197 116 TO 117 126 TO 127	140 TO 142 156 TO 157 168 TO 167	1 x 4	1 X Ø	Ф x 4 Ф x 5 Ф x 6	0 X 1	d8 T 0 ∅ 7 !ff T0 !7 20 T0 27	48 T0 47 58 T0 57 68 T0 67			WR1TE LOCKOUT SWITT	E	A	WRI CLE	A2	3F	T86 T81 T82 T83	8(8)178 1(8)178 2(0)178 3(6)178 4(8)178 5(0)178 5(0)178	6(1)LT(1)LT(1)LT(1)LT(1)LT(1)LT(1)LT(1)LT	88(8)11 81(8)41 82(8)11 83(8)11 84(8)11 85(0)11	89(1)1 81(1)1 92(1)1 93(1)1 94(1)1 95(1)1 96(1)1 WRITE																
JSAGE B					8			137 G285 181 111 121 131 141 151 161 171 188 148 158 158 158 158 158 158 158 15	193	G295 185 115 125 135 155 165 175 184 114 124 124 134 144 154 174	187 117 127 137 147 157 167 177 186 116 116 126 136 146 156 166 176	G285 ### ### ############################	G285 Ø3 13 23 33 43 53 63 73 Ø2 12 22 32 42 52 72	37 6285 85 15 25 35 45 55 65 75 84 14 24 34 45 45 45	77 G285 Ø7 17 27 37 47 57 67 77 77 Ø6 16 16 16 56 56 76	## B152 TRK	MITRX GAIN CONTI	REA (B) WRI DAT (DAT (L) LOC L SELE H	D MTF TE GAL H H ID MTF GAL H	RX IN RX IN	A (B	TT D	ATA (S	CA BBTT (1 BB)L (1 CTTT (1 CTTT (1 CTTT (1 CTTT (1 CTTT (1 CTTT (1) CTTT (1	ABLEC ATT S B)L ATT S B)L	ABLEICE SELECT OF IH SELECT OF	ATT (B)L ATT (B)L BTT (B)L	SELECT OTH SELECT OTH SELECT OZH																
	2	3	4	5	6	7	8		10		12	13	14	15	16			3 19	9 2	20 2	21 2	22 7	23 2	24 7	25	26	27	28	29	30	31	32	33	34	35	36	37	38	B 3	9 4	10 4	11 /	2 4	13 4
В																					r									•														
																	· change in																											
CHK CHANGE NO. REVISIONS REVISI	A - 27 - 2																								1						SED ON 609 -		⊃E ±	DIMENSI TOL CIMALS FI .005 FINAL SU MOVE BURR	ERANCES RACTIONS ± 1/64 JIRFACE QUA S AND BREA	ATIGLES ± 0°30'	ENE S PROJE	Weday Vonede Vonede Tourser HIGHER	DA DA 9- DA 9-	#169 - ATE 28 C1 ATE -22-C9 ATE -22-C9	ritle N	git MODU FILIZ RS(JLE ATIC () 9))N

	DIGITAL EQ	UIPWEN I	CORPORAT	ION		ฉับ	ANTITY	VARI	ATI	O
		PARTS I	IST							T
DAT	E 6/25/69	CHECKED DATE 6/26	D. HFALY	SECTION	-					
ENG Dat	DD Vonela E 7.28.69	PROD A.	1. Antonuccos	ISSUED SECT.						
ITEM No.	DWG NO. / PART NO.		DESCRIPTIO	<u>l</u> 1	1					
	B134	DIODE GATE							+	Ļ
	B152	BINARY TO	OCTAL DECODER		2	+			+-+	F
	B683	BUS DRIVER			3	+-+-	+		+	F
	GØ85	DISC READ	AMP & SLICE			+	+		+	j-
	G285	SERIES SWI			5	+	+-+-		+	_
	G286	CENTER TAP			- 8 -	+	+		\vdash	_
	G29Ø	WRITE AME			1 4	+	+			_
	RØØ2	DIODE CLUS			1-2-	+	+ $+$ $+$		$\sqcup \bot$	_
	R1 Ø 7	INVERTER			╢╌╫╌	+	1-1-		$\vdash \downarrow$	
	R111	DIODE GATE			╂╼╏┼─	+	+		\vdash	
	R6 Ø 2	PULSE AMPLI			╂╧┼┈	+	+	_		_
					$\frac{1}{1}$	+-+-	+		$\vdash \!$	_
					╂─┼─	+	+			_
					╫─┼─	┼─┼─	+			_
					╫─┼─	╂─┼─	+-+-+			_
					╂╌┼╌		+			-
					╂╾┼╾		+ + +			
					╂╼┼╌	 	+-+-	-		_
					╂╾┼─					_
					╫─┼─		+++			
				*	╟╼┾╼	 				iceps:
					╟─┼─		+++	+		_
ITLE			ASSY NO.	SIZE			<u> </u>			_
	MODULE UTILIZATION LI	ST (RSØ9)	D-MU-RSØ9-Ø		PL		NUMBER		REV	۷
	DRM NO.			OF 1 DIST		KSØ9	-ø- 9		A	



			<u> </u>	-			and the state of t	
	SIGNAL NAME	FROM PIN	TO PIN	COLOR	REMARKS	2	SIGNAL NAME	FROM F
	AOlj	A01j	A03E	BLUE		DI- ese	в10ј	A12C
	A01L	A01L	A03F	11		90.08	в10к	. A12D
	A01N	A01N	A04E	11	anningstration than the contract of the contra		в10Р	A12F
	A01R	AO1R	A04F	11			B10R	. Al2E
ssion.		·				Ssion		
Ē	A23D	· A23D	B05D	11		permission.	В11Ј	A11E
iften	A23J	A23J	B05E \	11		3 til	B11K	A11F
out w						without written		
**	возр	B03D	B22T	11			B11P B11R	A11D A11C
<u></u>	возе	возе	B24E.			of items	DITE	AIIG
manufacture or sale of items without written permission	В04Е	BO4E	B24S	11		Shan not us repr	В12Ј	A11K
61	+CIT	B04D	B20R	, 11		ure o	в12к	A11L
urfact	+CTT	B2OR	B24K	11		snan		
E .	!					man	в12Р	A1 1 j
>[B 07D	A23E	в07р	. 11		_	B12R	A11H
	B 07E	A23K	в07е	11				
	•						. в131	A14H
	# 09J	А12н	в09ј	11			B13K	A 14J
	15 09K	A12J	в09к	11				
						_	B1 3P	B1 3P
	3 09P	· A12L	в09Р	. 11	Accordance (Control of the Control o	_	B1 3R	. A14K
	B 09R	A12K	BO9R	11		_		
							В14Ј	A14C
		DRN.	DATE	<u> </u>		_	в 14 К	A14D
	REVISIONS	E. STEVE	NSON 10-20-9		EQUIPMENT	1 }	REVISIONS REV. DATE CHG. NO.	APP'D, CHK'
RE	V. DATE CHG. NO. RIGINATED-RCO# RS09-C	APP'D. CHK'D.	lane 11.4 69		MAYNARD, MASSACHUBETTS	_	REV. DATE CHG. NO.	W.L.
		يع لاركا	DATE 11-6-69	TITLE	AL WIRING SHEET			ENG.
		PROJ. ENG	DATE 11-5-69		VINING SHEET			PROJ. PROD
Ì		l IPROD.	DATE 11-7-69	SPECIAL E	HAND WRAP			PROD
		FIRST USE	ON	SIZE CODE	NUMBER REV	_		FIRST
THE CONTRACTOR OF THE CONTRACT		SCALE		AWL	RS09-0-10			SCAL
		SHEET 1	OF 4	DIST.		-		SHEE
DEC I	FORM NO.	1	<u> </u>	1		- L	DEC FORM NO.	<u></u>


94.5	SIGNAL	NAME	FROM PIN	TO PIN	COLOR	REMARKS
21.616	в10ј	in the second	A12C	B1 0J	BLUE	
] B	B10K		A12D	B 10K	11	
						·
	B10P		A12F	B 10P	11	
1	B10R		Al2E	B 10R	11	
sion.				'		
ermis	В11Ј	•	A11E	B]] J	11	
ten p	B11K		Al1F	B 1 1 K	11	
and shall not be reproduced or copies or used in whiter the percentaining manufacture or sale of items without written permission.						
ithou	B11P		A11D	B 11P	11	·
sm's	B1 1 R		Allc	B 11R		
20 20					•	ŕ
r sale	В12ј		A1 1K	в12ј	**	
To on	в12к		A11L	в12к	, 11	
snan						
and mar	B12P		A1 1 J	В12Р	**	•
>	B12R		A11H	B12R	11	:
			ì			
Ì	, в131		A14H	в13ј	11	
	B13K		A 14J	в 1 3к	II	
				,		
	B1 3P		B 13P	A14L	11	
	B 13R		A14K	B13R	. 11	
	В14Ј		A14C	в14ј	17	
	в14к		A14D	B14K	11	
		ISIONS	E. STEVE	DATE NSON 10-20-9		EQUIPMENT CORPORATION
	REV. DATE	CHG. NO. AF	PP'D. CHK'D. W.Scotts			MAYNARD, MASSACHUSETTS
			ENG.	DATE 11-6-69	TITLE	AL WIRING SHEET
			PROJ. ENG.	1, 11-5-67	FOR	AL WIKING SHEET
			PROD.	DATE	SPECIAL H	IAND WRAP
			FIRST USER	ON	SIZE CODE	NUMBER REV.
			SCALE		AWL	RS09-0-10
-			SHEET 2	OF 4	DIST.	7002-0-10
j	DEC FORM NO.			- A		

DEC FORM NO. DRA 104

DEC FORM NO. DRA 104

SIGNAL NAME FROM PIN TO PIN COLOR REMARKS B14P A14F B14P BLUE B14R A14E B14R 11 B15J A1**3**E B15J 11 B15K A13F B15K 11 **B**15P A13D B15P 11 B15R A13C B15R **B**16J A13K В16Ј 11 B16K A13L B16K 11 **B**16P A13J B16P 11 **B**16R A13H . 11 B16R TTA+ B02D B20S 11 +ATT **B**20S B22F 11 +ATT **B**22F A21D 11 -ATT BO2E B22J 11 -ATT B22J A21K 11 +DSLØØ A06E B13L 11 -DSLØØ A06F. B13M 11 +DSLØ1 A08E B09L 11 -DSLØ1 A08F В09м DRN. DATE E.STEVENSON 10-20-9 REVISIONS EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS REV. CHG. NO. DATE APP'D. CHK'D. DATE
Whiteheart 11 4 69 PROJ ENG DATE TITLE 11-6-69 DATE //-5-C7 FOR GENERAL WIRING SHEET DATE SPECIAL HAND WRAP 11-7-6 FIRST USED ON SIZE CODE NUMBER REV. SCALE AWL RS 09-0-10 SHEET OF 4 3 DIST.

SIGNA	L NAME		FROM	PIN	TO P	IN	С	OLOR	·	i	REMAI	RKS
С	LR WRTRS		A 06	Т	в20ц		BI	LUE				
c	LR WRTRS		A06	Т	T80A		1	· · · · · · · · · · · · · · · · · · ·				
C	LR WRTRS		В20	U	B20V		11			<u>-</u>		
		·····										
		<u>:</u>										
									1	************		
								-				
			······································									
	· · · · · · · · · · · · · · · · · · ·				····							
						·						
	-										· · · · · · · · · · · · · · · · · · ·	
												· · · · · · · · · · · · · · · · · · ·
							····					
												,
*												
						_						
			<u></u>							•		
			· · · · · · · · · · · · · · · · · · ·									
REV	ISIONS		DRN.		DATE	+						
EV. DATE	CHG. NO.	APP'D	CHK'D		ON 10-20 DATE		dA		2111	EQU	IPM	E N T TION
			ENG,		DATE					MAYNARD	MASSAC	HUSETTS
			PROJ. E	<u>火.:</u> .NG.	11-6-0 DATE	TIT C		ENERA	l wii	RING	CHE	CT
			PROJ. E	<u> </u>	11-5-(DATE	Ĵ FO	R				SHE	<u>-</u> 1
				9.3.37	. 11.7-6	9	SPI	ECIAL HA	ND WR	AP		
			, in si U	SED OV		SIZE	CODE		NUMI	BFP		PEV
			SCALE			┥.	WL		RS 09-			REV.
			SHEET	4	OF 4			· · · · · · · · · · · · · · · · · · ·	100 O 3 -	-0-10		1 1



This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

REV

DIGITAL	EQUIPMENT CORPORATION
	MAYNARD, MASSACHUSETTS

ENGINEERING SPECIFICATION

DATE 6/8/71

DATE

RS09 CALIBRATION PROCEDURE

REVISIONS

DESCRIPTION CHG NO ORIG DATE APPD BY

Limit release until final version of RS09 Preliminary Calibration Program is completed.

		diga kan	CONTINUATION SHEET	. —
	TITLE	RS09 CALIBRATION PROCEDURE		
				_
		TABLE OF CONTENTS		
			Page	
	1.0	General Information	3-11	
	1.1	Introduction	3-11	
	1.2	General Description of Calibration Procedu	ıre 3-11	
	1.3	Preliminary Preparations	5-11	
	1.4	Troubleshooting Tips	5-11	
	2.0	RS09 Calibration Procedure	6-11	•
	2.1	Gain and Slice Measurements Techniques	6-11	
	2.2	Timing Track Calibration	6-11	
;	2.3	Bata Track Gain Calibration	6-11	
;	2.4	Data Track Slice Calibration	7-11	
	2.5	Multi-Disk Program Operating Instructions	9-11	
	C FORM N	SIZE CODE SP	NUMBER REV	,

ENG SIZE CODE SP NUMBER RS09-0-12 DEC FORM NO: DRA 107A REV

SHEET 1 DEC FORM NO DRA 108A

GENERAL INFORMATION

1.1 INTRODUCTION

This procedure is intended to supplement the information given in the RF15/RS09 DECdisk System Maintenance Manual. It is assumed that the reader is familiar with the general theory of operation and maintenance procedures for the RS09.

The primary purpose of this procedure is to specify the techniques to be used in calibrating the G085 Disk Read Amplifier and Slice Modules in the RS09. A further goal is to give the user an understanding of the reasons behind the procedures so that he can use them with confidence.

GENERAL DESCRIPTION OF CALIBRATION PROCEDURE 1.2

The RS09 Fixed Head Disk uses the Non-Return-to-Zero (NRZ) recording technique which means that the track magnetization is reversed everytime a binary one is recorded. No reversal occurs when recording a binary zero, i.e., nothing at all is done to the track. When reading a track, the flux reversals (binary ones) are detected by the head and appear as positive or negative pulses at the output of the sense amplifier. Binary zeros, of course, do not develop any signals. In the ideal case, data read from the disk would produce a clean signal as shown in Figure 1A. A regular data pattern such as alternating ones and zeros does, in fact, produce a signal very close to the ideal. However, experience has shown that a complex data pattern produces an extremely noisy signal as shown in Figure 1B. Since the noise depends on the data, the only reliable method of calibrating a disk is with a diagnostic that simulates a realistic data pattern.

The calibration procedure has two objectives: to maximize the good signal region and to achieve the widest possible margins against noise. The best method of reaching these goals is to use a procedure as follows (see Figure 2):

- Check the "zero" noise level.
- Check the "one" noise level.
- 3. Calculate the Figure of Merit (FM) and the signal region (Δ).
- 4. Put an AGC jumper on the shoe containing the track that caused the first error in Step 2.

REV NUMBER' SIZE CODE SP RS09-0-12

SHEET __ 3 OF 11

DEC FORM NO

DRA 108A

CONTINUATION SHEET TITLE RS09 CALIBRATION PROCEDURE Noise Binary One -Signal Region Binary Zero Zero Noise Signal Region One Noise B. Actual Signal A. Ideal Signal Sense Amplifier Output Signal - Ones & Zeros Superimposed Figure 1. Step) AGC One **▶**Jumper Noise Repeat to maximize. 3 Calculate FM and Δ Zero TTTTTTTTNoise Figure 2. RS09 Setup Procedure

SIZE CODE

NUMBER RS09-0-12

SHEET _4_ OF 11

TITLE RS09 CALIBRATION PROCEDURE

- 5. Repeat steps 1 to 4 until the FM and signal region are maximized.
- 6. Set the slice at the midpoint of the signal region.

The adjustment potentiometers on the G085 module have been modified to simplify the procedure. The gain adjustment pot has been changed so that all disk surfaces, whether high or low output, can be set to produce the same size signal out of the sense amplifier. The range of the slice adjustment pot has been increased so that it is possible to measure both the "zero" noise level and the "one" noise level without adjusting the gain pot. As a result, the gain need be set only once at the beginning of the procedure.

1.3 PRELIMINARY PREPARATIONS

Before using this calibration procedure, insure that the following steps have been taken:

- 1. All G085 modules have been retrofitted to Revision (f).
- 2. Spot check the head output signals to see if they agree with the readings on the original Head Data Sheet.
- 3. If the surface or any shoes have been replaced, fill out a new Head Data Sheet according to the procedures in the Maintenance Manual.
- 4. Have on hand a copy of the RF15 Preliminary Calibration Program (Pre CAC al Prog.) AUTOCAD-15-05AA. This program contains a switch-selectable subroutine simular to the Stamp Test in the Disk Data Diagnostic. If this program is not available. MULT-DISK and DISK DATA (STAMP TEST) can be used instead.

1.4 TROUBLESHOOTING TIPS

DEC FORM HO

In order to calibrate an RS09 successfully, it is necessary to have a uniform disk surface and a set of shoes that are well matched and adjusted. In many cases, an excessive error rate may be due to a bad spot on the surface or a degraded or misadjusted shoe. If the disk has a high error rate that cannot be corrected by recalibrating the gain and slice adjustment, then it may be necessary to replace the surface or a shoe. To localize the problem area, take the following steps:

> SIZE CODE NUMBER REV SP RS09-0-12

> > SHEET 5

សង្គ្រាប់

CONTINUATION SHEET

TITLE RS09 CALIBRATION PROCEDURE

- 1. Determine the troublesome tracks from the error printouts on the teletype.
- 2. Inspect the individual tracks using the Stamp Test.
- 3. If the surface modulation is too great for any track (more than 20%) or if there is a spot on the track with a low output signal, replace the surface.
- 4. If the surface appears to be within specification, compare the tracks within a particular shoe. If the range of head outputs within the same shoe differs by more than 25%, replace the entire shoe.

RS09 CALIBRATION PROCEDURE

GAIN AND SLICE MEASUREMENTS TECHNIQUES

To measure Gain and Slice, use the procedures outlined in Section 6.2 of the Maintenance Manual with the following exception:

Measure Slice by reading the leading edge of the composite Gain-Slice waveform.

2.2 TIMING TRACK CALIBRATION

Calibrate the A, B. and C timing tracks using the procedures in Section 6.2.3 of the Maintenance Manual with the following exceptions:

Set the average voltage (gain) to 6 volts peak-to-peak.

Set the slice to 1.4 volts (reading the leading edge).

2.3 DATA TRACK GAIN CALIBRATION

- 1. Find the average track in Matrix 0 from the head data sheat and record its number on the Calibration Record Sheet (Figure 3).
- 2. Load and run the Pre Cal ProgStamp Test Program (see paragraph 2.5.4) selecting the average track noted in Step 1.

SIZE CODE NUMBER REV RS09-012

OF 11

ENGINEERING SPECIFICATION

CONTINUATION SHEET

TITLE RS09 CALIBRATION PROCEDURE

- 3. Adjust the gain of the average track to 6 volts peak-to-peak and the slice to 1.4 volts.
- 4. Repeat Steps 1 to 3 for Matrix 1.

NOTE:

Do not readjust gain during the rest of the calibration procedure.

- 2.4 DATA TRACK SLICE CALIBRATION
 - 2.4.1 The Data Track Slice Calibration procedure is repetitive and has the overall objective of maximizing the signal region and the Figure of Merit for the disk. The procedure will be described for Matrix 0 through it can be performed on both matrices simultaneously to save time. Note that the low failing track found on the first pass will be considered the reference track. All subsequent slice voltage readings will be taken from this track. Since the reference track exhibits the highest "zero" noise level, do not put on AGC jumper on its shoe; to do so would increase the "zero" noise level.
 - 2.4.2 To calibrate the Data Track Slice Adjustment, perform the following steps:
 - 1. Run the Pre. Cal. Program in the Random Pattern, Non-Save Mode.
 - 2. Carefully reduce the Slice voltage on Matrix 0 and find the low failing point, Increase Slice slightly until the program just runs error free. This test find the "zero" noise level illustrated above. Record the number of the first track that caused an error on the Calibration Record Sheet.
 - 3. Stop the Random Mode program and run one pass of the Prel. Cal. Prog. to write the pattern 252525 and restart the Stamp Test, selecting the reference track (i.e., the track found in Step 2 on the first pass.) Record the low slice voltage level (V_T) . (On the first pass, also measure and record the Gain of the reference track.)

SIZE | CODE NUMBER RS09-0-12

REV

ENGINEERING SPECIFICATION

CONTINUATION SHEET

TITLE RS09 CALIBRATION PROCEDURE

- 4. Restart Prel. Cal. Prog. Random Non-Save Mode. Carefully increase the slice voltage and find the high failing point. Reduce slice slightly until the program just runs error frec. This test finds the "one" noise level illustrated above.
- 5. Write 252525 PATTERN by running one pass of Prel. Cal. Prog. Go back to the Stamp Test, selecting the reference track. Record the high failing track number and the high slice voltage (Vu).
- 6. Install an AGC jumper on the shoe containing the high failing track found in Step 4 and record the jumper location.
- 7. Calculate and record the Figure of Merit (FM) and the Signal REgion (Δ) , where:

$$FM = \frac{V_{H} - V_{L}}{V_{u} + V_{L}}$$

and $\Delta = V_H - V_L$

- 8. Regeat steps 1 through 7 until Δ is maximized. If Δ decreases significantly on a subsequent pass, remove the previous AGC jumper.
- 9. The following figures are the minimum acceptable results in calibrating the RS09. In actual practice, a disk with a good surface and well matched shoes will surpass these figures by a wide margin. Since the goal of the calibration procedure is to maximize disk performance, every effort should be made to exceed these figures.

Minimum FM = 0.4

Minimum $\Delta = 1.3$ Volts

Maximum V_L = 1.0 Volts

When Δ has been maximized, calculate and record the final slice voltage setting (V_p) using the data from the last pass, where:

$$V_{\mathbf{F}} = \underbrace{V_{\mathbf{H}} + V_{\mathbf{L}}}_{2}$$

Set the slice voltage to Vr on the reference track.

SIZE CODE REV NUMBER RS09-0-12

		·		digistali	CONTINUATION SHEET
TITLE	RS09 C	ALIERATION	PROCEDURE		
		ll. Repea	at the proced	dure for Matri	х 1.
.5	MULTI-	DISK PROGRA	AM OPERATING	INSTRUCTIONS	
	2.5.1	The progr	ram used in	this calibrati	on procedure is:
	•		AUTOCAD-15- RF15 Calib Date:	-D5AA ration Program	
	2.5.2	Multi-Dis console o	sk operates : data switches	in four modes	as selected by the
		Data Swite	ch Settin	ng <u>Mod</u>	<u>e</u>
		1	0	Save Mo Non-Sav	
	_	3	0 1	Random 252525	

Data Switch 3 = 0

DEC FORM NO

2. The operator will then be asked (via the teletype) what the last available location of memory is for the system.

Reply (in octal notation): 007777 for a 4K System 377777 for a 131K System

The program will then printout the number of disks on-line and start running the program.

> SIZE CODE NUMBER REV SP RS09-0-12

OF 11 SHEFT 9

digital

CONTINUATION SHEET

TITLE RS09 CALIBRATION PROCEDURE

Example:

LAST AVAILABLE MEMORY LOCATION OCTAL?17777

1 EXISTENT DISK(S)

To run the Stamp Test, perform the following steps:

1. Start Cal. Prog. at location 200 with:

Data Switch 1 = 1Data Switch 3 = 1

- 2. Stop the computer after one pass .
- 3. Load the number of the desired disk in Data Switches 15 17. This writes a 25 pattern on the disk in nonsave mode.
- 4. Start the Stamp Test at location 201.
- 5. The program will HALT at location 1235. Set the Data Switches to the 18-bit address of the desired track and press CONTINUE.


SIZE CODE NUMBER REV RS09-0-12

SHEET 10 OF 11


DEC FORM NO

	W			013,010	CONTINU	ATION	SHEET
TITLE RSO	9 CALIBRAT	ION PROCEDUR	RE				
	Fi	lgure 3. RS	09 CALIBR	ATION SHEE	r		
RS09 SN		Disk Type		SN	D	ate_	
II Domā	lam Dabbass	. /Non Come N	todolhiz				
Test (25	pattern)	n (Non-Save M while taking	Slice Vo	e making a ltage Read	lajustmen lings.	ts.	Use Stamp
Ave	erage Track	<u>Ma</u>	trix 0				
		ack #		Reference	Track Ga	in	volts
Pass	Low Track #	Now Slice Voltage VL	High Track #	High Sli Voltage V _H	FM	Δ	AGC Jumper
	Ī	Final Slice S	Setting V _F	$= V_{\rm H} + V_{\rm I}$			
		Mā	atrix l				
	erage Track			Reference	Track Ga	in	volts
	Low	Low Slice Voltage VL	Track #	Voltage	FM	Δ	AGC Jumper
			3-				
	I	Final Slice S	Setting V F	$= V_{H} + V_{I}$		<u> </u>	
<u> </u>		$FM = \frac{V_H - V_L}{V_H + V_L}$			**************************************		_
	Z P	$\Delta = V_{ m H} - V_{ m L}$; Maximum $V_{ m L} = 0$	Minimum 1.0 volts	$\Delta = 1.3 \text{ vo}$	olts		
	rrinn die severa ann ann ac'h a l'aren Frederik an	na di kalanda in di kalanda tanggan dara kalamin yang namara		SIZE CODE	I .	JMBEI -0-12	


MASTER DRAWING LIST REV. NO. OF DWG. NO. TITLE LET. SHEETS D-UA-RSØ9-P-Ø A CHASSIS ASSY WITH LOGIC A-PL-RSØ9-P-Ø Ā CHASSIS ASSY WITH LOGIC D-DI-RSØ9-P-1 DWG INDEX LIST RSØ9-P-1 B A-ML-RSØ9-Ø REF 262 K 18 BIT DEC DISK K-WL-RSØ9-Ø--C WIRE LIST D-MU-RSØ9-Ø- 9 Α MODULE UTILIZATION A-PL-RSØ9-Ø- 9 MODULE UTILIZATION LIST D-AD-7006357-0-0 В WIRED ASSY A-PL-7006357-0-0 В WIRED ASSY P.L. **REVISIONS** DRN. digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS D. HEALY DATE CHG. NO. APP'D CHK'D. 10/69 RS09-4 12/69 00006 1/70 RS09P-1 4/70 RS09P-3 5/70 00013 D. HEALY D.V. ENG. Yorada 7.28.69 D.V. TITLE Proneig. DATE 7.28.69 D.V. CHASSIS ASSY WITH LOGIC FIRST USED ON DATE (RSØ9) 9/71 00021 A.V. 4/72 RSO9P-5 ASV SIZE CODE NUMBER REV. RSØ9-P AML SCALE RSØ9-P SHEET 1 OF DIST.



	MAVA	UIPMENT CORPORATION LARD, MASSACHUSETTS	<u> </u>		QUA	NIIIY	/ VAR	IATION		
	m A i n	PARTS LIST								
MA	DE BY G. FLANDERS	CHECKED D. HEALY SECTION	-							
DA	5/22/69	DATE 5/23/69 1 1	P					1 1		
DA	TE (10/84	DATE TO SECT.	-6			j.				
ITEI	DWG NO / PART NO	DESCRIPTION	RSO							
1	D-AD-70061 5 6-0-0	CHASS ASSY W/O LOGIC	-				++-		╁╌┼	
2	D-AD-7006357-0-0	WIRED ASSY RS09	$\parallel \uparrow \parallel$				+-+		+	
3	C-IA-7006434-0-0	SWITCH PLATE ASSY							$\dagger = \dagger$	
4	D-IA-7407045-0-0	BAR, HOLD DOWN MODULES (RSO8)	1 7						1 1	
5	C-IA-7407010-0-0	STANDOFF, LOGIC	2							
6	B-MD-7407011-0-0	COVER, LOGIC	1		1					
7	90 06020-1	SCR PHL HD PAN #6-32 x 1/4 SST	2						1 1	
8	9006021-1	SCR PHL HD PAN #6-32 x 5/16 SST	8							
9	9006039-1	SCR PHL HD PAN #8-32 x 1/2	2							
10	9006560	NUT, KEPS #6-32 S ST	8							
11	9006707	WASHER, 3/8 O.D. x 5/32 I.D. x 1/32	4							
			1							
			-				<u> </u>			
			$\parallel \perp \parallel$		-			1 1	 	
			\parallel					1	 	
			∦	_				1		
TIT	F									
111	CHASSIS ASSY WITH L	OGIC D-UA-RS09-P-0 SIZE	PL	RS	N -9-P-	UMBER -O		REV	ECO N	· -
	FORM NO.	SHEET 1 OF 1 DIST		4	T		7 7	- \ 		




K-WL-	RSØ9-Ø-WL C
	RSO9- 0000 0000 0000 0000 0000 0000
	1-16-70 5-11-70
	00000000000000000000000000000000000000
TIRST USED ON OF RSØ9	ON/MODEL DRAWN DATE ON/MODEL DRAWN DATE TITLE
	CHECKED DATE OF STEEL ST
	CORPORATION FOR TAPE FILE
	SIZE CODE DWG.NO. REV
	PROD DATE: A-ML-RSØ9-Ø KWLRSØ9-Ø-WL C



QUANTITY/VARIATION						
	,					
- Control of the Cont						
	1i					
	 					
	 					
	1					
	 					
	ECO NO RSO9					
RSØ9-Ø- 9 A	000009					
F	NUMBER REV. RSØ9-Ø- 9 A					

DEC FORM NO.



	DIGITALEQ	QUANTITY/VARIATION									
	WATE	PARTS LIST								I	
	E BY ROBICHAUD	CHECKED D. HEALY	SECTION								
DAT		DATE 5/13/69	1								
	DA Vonde E 6-10-69	DATE 6/1/69	ISSUED SECT.	635							
TEM NO.	DWG NO. / PART NO.	DESCRIPTION		700							
1	D-IA-7407012-0-0	MTG BAR				_	1				
2	1 202244	144 PIN CONN BLOCK		8	+	_	+ +			+ +	
3	1202188	CHAIN VOLTAGE		A/R	++		+ +			+ +	
4	9006423	SCR.PHL HD FIL POSI DRIV	E 8-32 X 3/4	16	1 1		1-1-	+		† – †	
5	9006121	SCR PHL HD FIL POSI DRIV	E 8-32 X 3/8	4						\dagger	
6	9007597	TERMINAL #2116-08-0-0 SH	AKEPROOF	4			1			1 1	
7	9107360-3	STRD #18 AWG TEF INS RED) ·	A/R	+		 	<u> </u>		\dagger	
8	910736 C-A	STRD #18 AWG TEF INS OR	N	A/R	1-1-		1 1			1 1	
9	9107360-7	STRD #18 AWG TEF INS BLU		A/R	1 1	+	 	\dagger		† †	
10	9107360-1	STRD #18 AWG TEF INS BLK		A/R						1 1	
11.	9107267-2	TUBING TEF #20 BRN		A/R		1				1	
12	1004815	CAP 100 MFD 20V 10% TA	NTALUM	2						1 1	
13	9107470-5	#24 AWG SOLID KYNAR YEL		A/R							
14	9107470 -7	#24 AWG SOLID KYNAR BLU		A/R				1			
15	C-IA-7408090-0-0	NOISE SUPPRESSOR								1 1	
											_
l											
ITL	E WIRED ASSY (RSØ9)	ASSY NO. D-AD-700635		PL	70063	NUM 570			REV.	RS0 0000	NO 9P
	FORM NO.	SHEET 1	OF 1 DIS		T			T	1	T	<u> </u>

DEC FORM NO.